

| Location ID | Date/Time | VOC (ppm) | LEL (%) | H2S (ppm) | CO (ppm) | O2 (%) | Particulates (ug/m3) | Benzene (ppm) | Xylene (ppm) | Toluene (ppm) | Naptha (ppm) | Comment | Location Type | Agency |
|-------------|-----------------|-----------|---------|-----------|----------|--------|----------------------|---------------|--------------|---------------|--------------|--|---------------|--------|
| 1-2516 | 5/6/2019 13:48 | 0 | 0 | 0 | 0 | 20.9 | 0 | 0 | 0 | 0 | 0 | Wallisville Rd and 8 freeway | Routine | EPA |
| 1-2517 | 5/6/2019 14:12 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Wrotham St and Silver Green rd | Routine | EPA |
| 1-2518 | 5/6/2019 14:17 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Mincing at and Ambrosden | Routine | EPA |
| 1-2519 | 5/6/2019 14:21 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | padstow ln and silver green dr | Routine | EPA |
| 1-2520 | 5/6/2019 14:32 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | 8 freeway and Woodforest blvd | Routine | EPA |
| 1-2521 | 5/6/2019 15:02 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Alderson st and Frankie st | Routine | EPA |
| 1-2522 | 5/6/2019 15:08 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Freeprt St and Eagle Pass st | Routine | EPA |
| 1-2523 | 5/6/2019 15:11 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Freeport st and Brownwood st | Routine | EPA |
| 1-2524 | 5/6/2019 15:15 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Muscantine st and Freeport st | Routine | EPA |
| 1-2525 | 5/6/2019 15:25 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Anthonette Ln and 10 Freeway | Routine | EPA |
| 1-2526 | 5/6/2019 15:31 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Redmond st and 10 Freeway | Routine | EPA |
| 1-2527 | 5/6/2019 15:39 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Tower st and Lorenzo st | Routine | EPA |
| 1-2528 | 5/6/2019 15:42 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Garlang st and Sheldon Rd | Routine | EPA |
| 1-2529 | 5/6/2019 15:55 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | 10 Freeway and Normandy st | Routine | EPA |
| 1-2530 | 5/6/2019 16:02 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Shirley Rd and Powell st | Routine | EPA |
| 1-2531 | 5/6/2019 16:27 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Houston Water Purification Plant. | Routine | EPA |
| 1-2532 | 5/10/2019 10:30 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | ITC Tank Farm at Independence. No diggers, generators, or pumps active. no workers present. Cloudy, overcast, 69F, winds 2 mph from north. faint odor of benzene | Routine | EPA |
| 1-2533 | 5/10/2019 10:53 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | San Jacinto monument entrance. Same conditions as last point | Routine | EPA |
| 1-2534 | 5/10/2019 11:06 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | San Jacinto Monument. Conditions are cloudy, overcast, 72F, 8mph winds from N-NW | Routine | EPA |
| 1-2535 | 5/10/2019 11:25 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Vopak Terminals off Independence. Cloudy, overcast, 71F, 85% humidity, 8mph winds from north | Routine | EPA |
| 1-2536 | 5/10/2019 11:50 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | ITC - Tidal Rd. Stale benzene odor. Cloudy, overcast, 72F, 8mph winds from the north, 92% humidity | Routine | EPA |
| 1-2537 | 5/10/2019 12:00 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | ITC Tanks at Tidal Rd. Same conditions as 1-2536 | Routine | EPA |
| 1-2538 | 5/10/2019 12:09 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | ITC - Wayne Pvt Blvd. In the middle of industrial area. Cloudy, overcast, 72F, 85% humidity, 9 mph winds from north | Routine | EPA |
| 1-2539 | 5/10/2019 12:23 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Evronik RohMax - Tidal Rd. Conditions same as 1-2539 | Routine | EPA |
| 1-2540 | 5/10/2019 12:41 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | ITC Tanks at Independence. No activity on site. Cloudy, overcast, 70F, 89% humidity, 9mph winds from North | Routine | EPA |
| 1-2541 | 5/10/2019 12:52 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | BBB Tank Services off Independence. Cloudy, overcast, 71F, 89% humidity, 11 mph winds from North. | Routine | EPA |
| 1-2542 | 5/10/2019 13:09 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Monument Inn Park. Cloudy, overcast, 72F, 83% humidity, 9 mph winds from North. Road was flooded coming up to the Inn. Channel water level seems higher than normal. | Routine | EPA |
| 1-2543 | 5/10/2019 13:34 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | San Jacinto Monument entrance. Conditions same as 1-2543. | Routine | EPA |
| 1-2544 | 5/10/2019 13:45 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | San Jacinto Monument. Conditions same as 1-2544 | Routine | EPA |
| 1-2545 | 5/10/2019 14:18 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | 80's truck rack off Independence. Cloudy, overcast, 74F, 8mph winds from N-NE, 83% Humidity. workers present near demo site removing fence screening. No heavy equipment active. | Routine | EPA |
| 1-2546 | 5/10/2019 14:42 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | ITC - Tidal Rd. Cloudy, overcast, 73F, 8mph winds from N-NE, 83% Humidity | Routine | EPA |
| 1-2547 | 5/10/2019 14:52 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | ITC Tanks - Tidal Rd. chemical odors detected. Conditions the same as 1-2545 | Routine | EPA |
| 1-2548 | 5/10/2019 15:05 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | ITC Wayne Pvt Blvd. chemical odors detected. Heavy vehicle traffic. Similar conditions to 1-2545 | Routine | EPA |
| 1-2549 | 5/10/2019 15:19 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Tidal Rd on East fork. 78% humidity. Other conditions similar to 1-2548 | Routine | EPA |
| 1-2550 | 5/10/2019 15:37 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Vopak Terminal off Tidal Rd. Cloudy, overcast, 74F, 8mph winds from N-NE, 81% humidity | Routine | EPA |
| 1-2551 | 5/10/2019 15:49 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | BBB Tank Services of Independence. Conditions the same as 1-2550 | Routine | EPA |
| 1-2552 | 5/10/2019 16:04 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Monument Inn Park. Gray clouds, overcast, 77F, 8mph winds from NE, humidity 75% | Routine | EPA |
| 1-2553 | 5/10/2019 16:43 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | Battleship of Texas. Cloudy, overcast, 75F, 9mph winds from NE, 81% humidity | Routine | EPA |
| 1-2554 | 5/10/2019 17:01 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | San Jacinto Monument Entrance. Conditions the same at 1-2554 | Routine | EPA |
| 1-2555 | 5/10/2019 17:12 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | San Jacinto Monument. Conditions similar to 1-2553 | Routine | EPA |
| 1-2556 | 5/10/2019 17:22 | 0 | 0 | 0 | 0 | 20.9 | | 0 | | | | ITC Tank Farm. Cloudy, overcast, 76F, 77% humidity, 9mph winds from NE, workers present on site, no heavy equipment active. | Routine | EPA |